TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

# LIGHTSHIP OR LIGHT STATION LOG
## MONTHLY SUMMARY
*(Fill Out on Last Day of Month)*

U. S. COAST GUARD Rose Island Lightstation MONTH OF June 1963

SUPPLIES *(Light Station Only)*

| | FUEL | DIESEL OIL, GAL. | GASOLINE, GAL. | LUB. OIL, GAL. | WATER, GAL. | | |
|---|---|---|---|---|---|---|---|
| RECEIVED | 0 | | 100 | | 10000 | | |
| EXPENDED | 50 | | 10 | | 3.600 | | |
| REMAINING | 955 | | 105 | | 6.400 | | |

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

| | FOG SIGNAL | RADIO BEACON LOW VISIBILITY | RADIO BEACON REGULAR CALIBRATION | RADIO BEACON SPECIAL BEACON CALIBRATION |
|---|---|---|---|---|
| TOTAL PREVIOUS MONTHS OF YEAR | 2481 HR. | HR. | HR. | HR. |
| TOTAL THIS MONTH | 81 HR. | HR. | HR. | HR. |
| TOTAL YEAR TO DATE | 2562 HR. | HR. | HR. | HR. |

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
*(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)*

| | EXCELLENT | GOOD | FAIR | POOR | REMARKS |
|---|---|---|---|---|---|
| BUILDINGS OR HULL | | x | | | |
| ILLUMINATING APPARATUS | | x | | | |
| FOG SIGNAL | x | | | | |
| RADIOBEACON | | | | | |
| MACHINERY | | | | | |
| (16585) BOATS (BY NO.) | | | x | | |
| | | | | | |
| VEHICLES (BY NO.) | | | | | |
| | | | | | |

NUMBER DISABLING INJURIES REPORTED 0 DAYS LOST 0 ACCIDENTAL DAMAGE TO PROPERTY, $ 0

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

| NAME | LL. NO. | CONDITION | REMARKS |
|---|---|---|---|
| Gulls Rocks | 547 | Good | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

*(Use Other Side if Necessary)*

CERTIFIED TO BE CORRECT
John R Nardone Bml Oinc
*(Officer in Charge)*

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 1 June 1963 (Insert day of week, day, month, year) LOCATION Newport R.I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 30.21 | | 61 | B | – | – | 8 | | |
| 0400 | SW | 2 | 30.28 | | 60 | H | – | – | 8 | | |
| 0800 | SSW | 3 | 30.31 | | 76 | H | – | – | 8 | | |
| 1200 | SSW | 3 | 30.33 | | 76 | H | – | – | 8 | | |
| 1600 | SSW | 2 | 30.30 | | 75 | B | – | – | 8 | | |
| 2000 | SW | 2 | 30.34 | | 70 | BC | Ci | 5 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1005 | 7 | 6<br>7000 |
| EXPENDED | 05 | | 200 |
| REMAINING | 1000 | | 6800 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| ~~AH~~ LIBERTY | 1 | |
| LEAVE | 1 | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2000

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | | | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START TIME STOP

## RADIOBEACON TEST

TIME START TIME STOP

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all vis A/N. Checked boat.
0200 Checked all vis A/N.

F. Guyette

0400 - 0800

0400 Checked all vis A/N.
0610 Secured Main Light.
0710 Held revellie.

R A Heath

0800 - 1200

0800 Held morning colors. Turned to stations work (Field day).
0900 Heath S.A. departed Sta. on 6 day leave.
1120 Godomski F.A. departed on 48 hr. liberty.

F. Guyette

1200 - 1600

1200 Noon meal.
1210 Nardone BM-1 returned from liberty.

J K Nardone

1600 - 2000

1600- Vis good.
1700 Evening meals

F. Guyette

2000 - 2400

2000- Turn on main light voltage 114
2015- Evening colors,
2020- Checked all vis A/N,
2200 Checked all vis. A/N. Checked boat on mooring.

J K Nardone

**CERTIFIED TO BE CORRECT**

J K Nardone BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LS.

DATE SUNDAY JUNE 2, 1963 (Insert day of week, day, month, year) LOCATION NEWPORT, R. I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 30.35 | | 60 | BC | AS | 5 | 8 | | |
| 0400 | SW | 2 | 30.35 | | 54 | BC | ACL | 9 | 8 | | |
| 0800 | SW | 1 | 30.35 | | 60 | BC | CI | 3 | 8 | | |
| 1200 | SW | 2 | 30.34 | | 77 | BC | CI | 3 | 8 | | |
| 1600 | SW | 2 | 30.30 | | 64 | BC | AC | 6 | 8 | | |
| 2000 | SW | 2 | 30.30 | | 60 | BC | AC | 6 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1000 | 7 | 6,800 |
| EXPENDED | – | – | 200 |
| REMAINING | 1000 | 7 | 6,600 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH LEAVE | 1 | |
| LIBERTY | 1 | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2000

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | | | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START ______ TIME STOP ______

## RADIOBEACON TEST

TIME START ______ TIME STOP ______

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- checked all vis A/n.
0010- checked boat.

F. Guyette

0400-0600

0400- checked all vis A/n.
0600. Secured main light.

J R Hardone

0800-1200

0800- morning colors
1100- Vis good.

F. Guyette

1200-1600

1200- Dinner.
1500- Vis good

J R Hardone.

1600-2000

1600 checked boat.
1700- Evening chow.

F. Guyette

2000-2400

2000- Turn on main light: voltage 119
2015- Evening colors
2030- checked all vis A/N

J R Hardone

CERTIFIED TO BE CORRECT

J R Hardone BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND 4/5

DATE MONDAY 3, JUNE 1963 LOCATION NEWPORT R I
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 30.21 | | 57 | BC | AS | 4 | 8 | | |
| 0400 | SW | 2 | 30.25 | | 55 | F | - | - | 0 | | |
| 0800 | SW | 1 | 30.22 | | 57 | F | - | - | 0 | | |
| 1200 | SW | 1 | 30.18 | | 65 | BC | CI | 3 | 7 | | |
| 1600 | SW | 2 | 30.15 | | 60 | BC | - | - | 8 | | |
| 2000 | SE | 3 | 30.10 | | 57 | C | - | - | 8 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1000 | 7 | 6.600 |
| EXPENDED | - | - | 200 |
| REMAINING | 1000 | 7 | 6.400 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| LEAVE | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 1130 Time Lighted 2001

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0330 | 1130 | 8 | | |
| TOTAL FOR DAY | | 8 | 0 | |
| TOTAL FOR MONTH | | 8 | 0 | |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400.

0000- checked all a/s A/N. checked boat.
0200- Checked all a/s F/W.
0330- Displayed stations fog signals. F. Guyette

0400-0800

0400- checked all a/s A/N.

0700- Held drill. J.K. Nardone

0800-1200.

0800- Morning colors. Turn to. 1000 Received R-031350-Z
1035- Guyette departed for Stratford on CG-16585
1130. Secured fog sig
1145- REC. P031458Z
1150- Drill fire
1159- Secured. F.E. Guyette

1200-1600

1200- Dinner
1300- Turn to
1555- Secured from work. J.K. Nardone.

1600-2000

1600- Vis good
1635- Guyette return to station on 16585
1700- Evening chow F. Guyette

2000-2400

2001 Turn on main light. Voltage 118
2016. Evening colors
2030- checked all a/s A/N.
2230- REC. P040210Z J.K. Nardone

CERTIFIED TO BE CORRECT

J.K. Nardone BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 4 June 1963 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

| TIME | WIND DIR. | WIND FORCE | BAROMETER | TEMP. °F. WET | TEMP. °F. DRY | WEATHER | CLOUDS FORM | CLOUDS AMT. | VIS. | SEA DIR. | SEA HEIGHT IN FT. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0000 | S | 3 | 30.08 | | 63 | H | – | – | 7 | | |
| 0400 | S | 2 | 30.08 | | 61 | H | – | – | 7 | | |
| 0800 | SW | 2 | 30.06 | | 66 | F | – | – | 0 | | |
| 1200 | SW | 1 | 30.04 | | 75 | F | – | – | 2 | | |
| 1600 | SW | 2 | 30.01 | | 75 | F | – | – | 1 | | |
| 2000 | SW | 2 | 29.99 | | 72 | F | – | – | 0 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1000 | 7 | 6,400 |
| EXPENDED | – | + | 400 |
| REMAINING | 1000 | 7 | 6,000 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| ~~AH~~ LIBERTY | 1 | |
| LEAVE | 1 | |
| PRESENT | 0 | |

**MAIN LIGHT** Time Extinguished 1030 Time Lighted 1900

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| 0630 | 1030 | 6 | 0 | 40 |
| 1100 | 1300 | 2 | 0 | |
| 1530 | 1730 | 2 | 0 | |
| 1900 | 2400 | 5 | 0 | |
| TOTAL FOR DAY | | 15 | | |
| TOTAL FOR MONTH | | 33 | 0 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | CALIBRATION SERVICES REGULAR RADIOBEACON MIN. | CALIBRATION SERVICES SPECIAL CALIB. BEACON HR. | CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START ______ TIME STOP ______

## RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - Checked all vis A/N. Checked boat.
0200 - Checked all vis A/N.

F. Guyette

0400 - 0800

0400 - Checked all vis A/N.
0600 - Displaid stations A/N. Fog signals.
0630 - Recieved P-040940-Z
0710 - Held revellie.

J R Hardone

0800 - 1200

0800 - Held morning colors. Turned to.
1030 - Guyette departed on liberty
1030 - Secured fog sig and main light.
1045 - Gadomski FA. Return from liberty
1100 - Turn on fog sig.
1135 - Secured from work

A Gadomski

1200 - 1600

1200. Dinner
1300 - Turn to. Turn off fog sig. and main light
1530 - Turn on fog sig. and main light

J R Hardone.

1600 - 2000.

1600 - vis good.
1780 Secured fog sig. and main light
1800 Evening meal.
1900 Turn on main light and fog sig.

A. Gadomski

2000 - 2400

2000 - vis poor. Checked boat.
2016 Evening colors.

J R Hardone

CERTIFIED TO BE CORRECT

J R Hardone BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island LS

DATE Wednesday 5, June 1963 (Insert day of week, day, month, year) LOCATION Newport R I

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 29.96 | | 59 | F | – | – | 0 | | |
| 0400 | SW | 2 | 29.97 | | 52 | F | – | – | 0 | | |
| 0800 | SW | 1 | 29.99 | | 54 | F | – | – | 0 | | |
| 1200 | SW | 2 | 29.95 | | 70 | F | – | – | 0 | | |
| 1600 | SW | 3 | 29.92 | | 73 | F | – | – | 0 | | |
| 2000 | SW | 3 | 29.90 | | 61 | F | – | – | 0 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| | | | ~~Rec~~ |
| RECEIVED | 1000 | 7 | 4400 |
| EXPENDED | – | – | – |
| REMAINING | 1000 | 7 | 10,000 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| LEAVE | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished ~~1627~~ 1100 Time Lighted Cont.

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0600 | 1100 | 11 | 0 | |
| 1200 | 2400 | 12 | | |
| TOTAL FOR DAY | | 23 | | |
| TOTAL FOR MONTH | | 46 | | |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- vis poor. [illegible]

W. Hadomsko

0400-0800-

0400- vis poor.

0700- Held reveille

J.K. Hardone.

0800-1200

0800- Morning colors. Turn to.
1100- Secured for f.g.
1130- Secured from work.
1135- Drill blinker light.
1145- Secured from drill

W. Hadomsko

1200-1600

1200- Dinner.
1300- Turn to.
1325- CG SPAR ARRIVE TO DELIVER WATER 4,400 gal.
1445- CG SPAR departed unit.
1555- Secured from work.

J.K. Hardone

1600-2000

1600- vis poor.
1700- Evening chow

W. Hadomsko

2000-2400

2000 vis poor
2017 Evening colors

J.K. Hardone

CERTIFIED TO BE CORRECT

J.K. Hardone BM1
(Officer in Charge)

6

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LS

DATE THURSDAY JUNE 6, 1963 (Insert day of week, day, month, year) LOCATION NEWPORT RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 29.85 | | 52 | F | – | – | C | | |
| 0400 | SW | 2 | 29.82 | | 52 | F | – | 0 | 0 | | |
| 0800 | SW | 2 | 29.80 | | 59 | F | – | – | 0 | | |
| 1200 | SW | 2 | 29.80 | | 72 | BC | – | – | 7 | | |
| 1600 | SE | 3 | 29.10 | | 65 | F | – | – | 0 | | |
| 2000 | SE | 3 | 29.10 | | 60 | F | – | – | 0 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1000 | 7 | 10000 |
| EXPENDED | – | | 200 |
| REMAINING | 1000 | | 9800 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 1100 Time Lighted 1400

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0000 | 1100 | 11 | 0 | |
| 1200 | 1300 | 1 | 0 | |
| 1400 | 2100 | 7 | | |
| TOTAL FOR DAY | | 19 | | |
| TOTAL FOR MONTH | | 65 | | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START TIME STOP

## RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- vis poor. checked foat.
0

0400-0800.

0400- vis poor.
0545- Rec. P 060922Z
0700- Held Revelie

0800-1200

0800- Morning colors. Turn to
1100- Secured fog sig. and main light.
1130- Secured from work.
1135- Drill fire
1155- Secured from drill
1157- Guyette return from liberty

1200-1600

1200- Turn on fog sig. and main light.
1230- Dinner
1300- Turn to
1330- Secured fog sig and main light
1400- Turn on fog sig. and main light,
1530- Secured from work.

1600-2000.

1600- vis poor
1700- Evening chow

2000-2400

2000- vis poor.
2007. Evening colors.
2100- Secured fog sig,
2300 Received P/ 060236Z Lower SCW

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LS

DATE FRIDAY 7 JUNE 1963 LOCATION NEWPORT R.I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 29.75 | | 55 | c | - | - | 8 | | |
| 0400 | SW | 2 | 29.80 | | 55 | i | - | - | 8 | | |
| 0800 | NW | 2 | 29.82 | | 62 | BC | CB | 4 | 8 | | |
| 1200 | NE | 3 | 29.93 | | 65 | O | - | - | 8 | | |
| 1600 | NE | 3 | 30.00 | | 60 | O | - | - | 8 | | |
| 2000 | NE | 2 | 30.02 | | 60 | O | - | - | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1000 | 7 | 9,800 |
| EXPENDED | - | - | 100 |
| REMAINING | 1000 | 7 | 9,700 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH LIBERTY | 1 | |
| LEAVE | 1 | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2000

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 65 | 00 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- 0400

0000- checked all v's A/N, check boat.
0100- a/s good.

J Rosarlard

0400-0800

0400- checked all v's A/N.
0600 secured main light.
0700 Held Revelie

W Madermohe

0800- 1200-

0800- morning colors, turn to
0945 Nardone BM-1 departed sta on liberty.
1000- Coffie Brack.
1015 Guyette EN-3 returned from liberty.
1130 Secured for lunch.

F. Guyette

1200 - 1600

1200- Checked weather & boat.
1300 - Turned to station work.
1600 - Secured for the day stowed all gear.

W Madermohe

1600 - 2000

1630, checked boat.
1800 - Checked station.

F. Guyette

2000 - 2400

2000- Displaid main light.
2015- Held evening colors.
2200- Checked all v's A/N.

F. Guyette

CERTIFIED TO BE CORRECT

Floyd Guyette EN-3
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 8 June 1963 (Insert day of week, day, month, year) LOCATION Newport, R. I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NE | 2 | 3002 | | 58 | O | — | — | 8 | | |
| 0400 | NE | 2 | 30.02 | | 56 | BC | — | — | 8 | | |
| 0800 | NE | 0 | 30.00 | | 66 | Bc | | — | 8 | | |
| 1200 | S | 2 | 29.97 | | 63 | BC | — | — | 8 | | |
| 1600 | S | 2 | 29.95 | | 63 | BC | — | — | 8 | | |
| 2000 | S | 2 | 29.92 | | 62 | BC | — | — | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1000 | 7 | 9700 |
| EXPENDED | 5 | — | 150 |
| REMAINING | 995 | 7 | 9550 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH Liberty | 1 | |
| Leave | 1 | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2015

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 65 | 00 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all vis A/N. Checked boat.
0200 Checked all vis A/N.

F. Guyette

0400 - 0800

0400 Checked all vis A/N. Checked boat.
0600 Extinguished main light signal.
0710 Held revillie.

W. McDonald

0800 - 1200

0800 Held morning colors. Turned to.
0910 Heath S.A. returned from ~~liberty~~ Leave.

R W Heath

1200 - 1600

1200 - checked all vis A/N
1230 - Notified Castle Hill of row boat with 2 POB in distress between Rose Island and North-light

1300 - Resumed work
1310 - checked boat

F Guyette

1600-2000

1600 checked all vis A/N.
1615 Secured for the day.
1630 Rec P 082020Z S.C.W. SF

W McDonald

2000-2400

2000 checked all vis A/N
2015 Placed main light on.
2030 Evening Colors.
2400 - checked boat

R W Heath

CERTIFIED TO BE CORRECT

Floyd Guyette EN-3
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 9 June Sunday 1963 (Insert day of week, day, month, year) LOCATION Newport R. I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SE | 2 | 29.82 | | 62 | BC | B | — | 8 | | |
| 0400 | SE | 2 | 29.73 | | 65 | BC | — | — | 8 | | |
| 0800 | SE | 2 | 29.64 | | 70 | BC | — | — | 8 | | |
| 1200 | SE | 2 | 29.60 | | 72 | BC | — | — | 8 | | |
| 1600 | SE | 3 | 29.50 | | 74 | BC | — | — | 8 | | |
| 2000 | S | 2 | 29.52 | | 66 | R | — | — | 6 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 9550 |
| EXPENDED | — | — | 150 |
| REMAINING | 995 | 7 | 9400 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 1930

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 65 | 00 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | CALIBRATION SERVICES REGULAR RADIOBEACON MIN. | CALIBRATION SERVICES SPECIAL CALIB. BEACON HR. | CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 – 0400

0000 checked all n is A/n

0100 checked boat.

F. Guyette

0400 – 0800

0400 checked all n is A/n

0600 secured main light

0700 checked boat.

0800 – 1200

0800 Morning colors.

0805 Holiday Routine

1000 checked boat.

1130 Noon meal.

1135 - Drill damage controll

1145 - Secured.

R A Heath

1200 – 1600

1200 checked all n is A/n.

1400 checked boat.

F. Guyette

1600 – 2000

1600 checked all n is A/n

1700 checked boat.

1930 Placed main light on

1945 Evening colors.

2000 – 2400

2000 Vis closing

2100 checked boat

R A Heath

CERTIFIED TO BE CORRECT

Floyd Guyette
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 10 June Mon - 1963. (Insert day of week, day, month, year) LOCATION Newport Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | S | 1 | 29.56 | | 66 | F | – | – | 1 | | |
| 0400 | S | 1 | 29.57 | | 65 | B | – | – | 8 | | |
| 0800 | E | 1 | 29.63 | | 59 | O | – | – | 8 | | |
| 1200 | E | 1 | 29.62 | | 60 | O | – | – | 8 | | |
| 1600 | NE | 2 | 29.60 | | 58 | O | – | – | 8 | | |
| 2000 | NE | 1 | 29.60 | | 54 | O | – | – | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 9550 |
| EXPENDED | – | – | 150 |
| REMAINING | 995 | 7 | 9400 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Lbty. | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2006

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0000 | 0200 | 2 | – | 60 |

TOTAL FOR DAY 2
TOTAL FOR MONTH 67

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |

TOTAL FOR DAY
TOTAL FOR MONTH

**FOG SIGNAL TEST**

TIME START ________ TIME STOP ________

**RADIOBEACON TEST**

TIME START ________ TIME STOP ________

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Placed fog signals in operatin
0200 Secured fog signals F. Guyette
0300 Checked batt

0400-0800

0400 checked all is A/c
0600 Secured main light RA Heath
0700 Revele.
0715-Godomski departed on 48 hrs liberty

0800 -1200

0800 Morning Colors.
0815 Mardone BM-1 returned from 48 hrs leave.
0930-Checked boat.
1130- Secured from work.
1135- Drill fire drill
1150 - Secured from drill J R Mardone-

1200-1600

1200-Dinner
1300-Turn to
1530-Secured from work F. Guyette

1600-2000

1600-a/s good
1700-Evening meals.
1906-Placed main light in operation RA Heath
1921-Evening Colors.

2000-2400

2000 checked all is A/c J R Mardone

CERTIFIED TO BE CORRECT

J R Mardone BMC
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 11 June 1963 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | N | 2 | 29.61 | | 57 | O | — | — | 8 | | |
| 0400 | W | 1 | 29.65 | | 55 | O | - | - | 8 | | |
| 0800 | WNW | 2 | 29.65 | | 57 | BC | CB | 5 | 8 | | |
| 1200 | N | 1 | 29.65 | | 62 | BC | CB | 5 | 8 | | |
| 1600 | N | 1 | 29.60 | | 58 | O | — | — | 8 | | |
| 2000 | NE | 2 | 29.55 | | 57 | R. | — | — | 8 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 9400 |
| EXPENDED | - | - | 100 |
| REMAINING | 995 | 7 | 9,300 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0600 Time Lighted 2006

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 61 | 0 | |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked all is A/r
0010 checked boat.

F. Guyette

0400 - 0800

0400 - checked all is A/r.
0530 - Rec. P 11 0854Z.
0600 - Secured main light.
0700 - Held [illegible]

R A Heath

0800 - 1200

0800 - morning colors. Turn to
0815 - turned to.
1106 - Sent R 111400Z
1107 - Sent R 111405Z.
1130 - Secured for chow

J R Hardone

1200 - 1600

1200 checked all is A/r
1215 checked boat.
1300 - Turn to
1530 - Secured from work.

F. Guyette

1600 - 2000

1600 Checked all is A/r.
1700 - Evening meals

R A Heath

2000 - 2400

2000 - checked all is A/r.
2006 - Turn on main light. voltage 118
2021 - Evening colors

J R Hardone

CERTIFIED TO BE CORRECT

J R Hardone BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND L/S

DATE WEDNESDAY 12, JUNE 1963 LOCATION NEWPORT R I
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NE | 2 | 29.50 | | 55 | C | - | - | 8 | | |
| 0400 | N | 1 | 29.50 | | 52 | C | - | - | 8 | | |
| 0800 | C | - | 29.50 | | 55 | C | - | - | V | | |
| 1200 | E | 1 | 29.45 | | 62 | BC | AC | 5 | 8 | | |
| 1600 | N | 2 | 29.45 | | 62 | O | - | - | 8 | | |
| 2000 | N | 2 | 29.56 | | 60 | O | - | - | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 9.95 | 7 | 9,300 |
| EXPENDED | - | - | 200 |
| REMAINING | 995 | 7 | 9,100 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2007

## FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

| FOG SIGNAL | | | | | RADIOBEACON | | | | | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE | TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 67 | 0 | | TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400.

0000- checked all vis A/N - checked boat.
0200 - Checked all vis A/N.

F. Guyette

0400-0800

0400- checked all vis A/N.
0600- Secured main light
0700- Held Reveille

J R Hardone

0800- 1200.

0800- morning colors Turnto.
0830- Guyette EN3. departed on 48 hr. liberty on CG-16585
0900- Goodmeske FA. Return from 48 hr. liberty on 16585
1130- Secured from work.
1135- Drill
1145- Secured from drill

R A Heath

1200-1600

1200- Dinner
1300- Turnto,
1535- Secured from work.

W N Adams

1600-2000

1600- vis good,
1700- Evening chow

J R Hardone

2000-2400-

2000- checked all vis A/N
2051- Turn on main light.
2017- Evening colors

R A Heath

CERTIFIED TO BE CORRECT

J R Hardone BM1
(Officer in Charge)

**TREASURY DEPARTMENT**
**U. S. COAST GUARD**
**CG-3188 (12-50)**

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND 45

DATE THURSDAY 13, JUNE 1963 LOCATION NEWPORT RI
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NE | 2 | 29.58 | | 57 | C | – | – | 8 | | |
| 0400 | N | 2 | 29.58 | | 55 | C | – | – | 8 | | |
| 0800 | NW | 1 | 29.60 | | 63 | BC | AC | 5 | 8 | | |
| 1200 | NW | 2 | 29.62 | | 75 | BC | CS | 3 | 8 | | |
| 1600 | NW | 2 | 29.65 | | 73 | BC | AC | 5 | 8 | | |
| 2000 | SE | 2 | 29.70 | | 68 | BC | AS | 1 | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 9100 |
| EXPENDED | – | – | 100 |
| REMAINING | 995 | 7 | 9000 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | L 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2008

**FOG SIGNAL** (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE | TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 67 | 0 | | TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- checked all rig A/n. checked boat.

W Dadowski

0400-0800

0400- checked all rig A/n.
0600- Secured main light.
0700- Held Reveille

J K Hardone

0800-1200

0800- Morning colors. Turn to
1015-CG65605 arrived unit with 100 Gal. Gasoline
1035-CG65605 departed
1130- Secured from work.
1135- Drill fire
1145- Secured from drill

RA Heath

1200-1600

1200- Dinner,
1300- Turn to
1330-Boley George EN2 arrived for assignment of duty.
1550- Secured from work,

J K Hardone.

1600-2000.

1600-Als good.
1700- Evening meals
1805- Rec P 132044

George A Boley

2000-2400.

2000- checked all rig A/n.

RA Heath

CERTIFIED TO BE CORRECT

J K Hardone BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LS

DATE FRIDAY 14 JUNE 1963 LOCATION NEWPORT, R I
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 2 | 29.75 | | 59 | BC | AS | 3 | 8 | | |
| 0400 | NW | 2 | 29.77 | | 58 | B | - | - | 8 | | |
| 0800 | SE | 1 | 29.80 | | 64 | BC | CB | 9 | 8 | | |
| 1200 | E | 1 | 29.82 | | 66 | BC | CB | 9 | 8 | | |
| 1600 | SE | 2 | 29.82 | | 72 | BC | AC | 5 | 8 | | |
| 2000 | N | 2 | 29.85 | | 65 | BC | CB | 9 | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 9.000 |
| EXPENDED | - | - | 200 |
| REMAINING | 995 | 7 | 8,800 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 3 | |
| ATTACHED | 3 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | 1 | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0600. Time Lighted 2008

**FOG SIGNAL** (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

| FOG SIGNAL TIME START | FOG SIGNAL TIME STOP | SIGNAL OPERATED | | AIR PRESSURE | RADIOBEACON TIME START | RADIOBEACON TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 67 | 0 | | TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- checked all vis A/r. checked boat.

J D Nardone

0400-0800

0400- checked all aids A/r
0600- Secured main light.
0700- Held drill

W Gadomski

0800-1200

0800 Morning colors. Turn to
0900- Gadomski W.C. F.A. (337-558) departed station on CG.16585.
TO. G.R. OFFICE FOR NEW ASSIGMENT. OF DUTY
0900- Heath S.A. departed on liberty. 48 Hr.
0930- Guyette E.v.s. return from liberty
1130- Secured from work.

George A Boley

1200-1600

1200- Dinner.
1300- Turn to
1545 - Secured from work

F. Guyette

1600 - 2000

1600 Vis. good checked boat.
1700- Evening meal.

J D Nardone

2000-2400

2000. checked all vis A/r.
2009- Turn on main light
2023- Evening colors

F. Guyette

CERTIFIED TO BE CORRECT

J D Nardone B.M.1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND L/S

DATE SAT, 15 JUNE 1963 LOCATION NEWPORT R I
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | N | 2 | 29.80 | | 62 | BL | AS | 4 | 8 | | |
| 0400 | N | 2 | 29.80 | | 57 | C | - | - | 8 | | |
| 0800 | NW | 2 | 29.80 | | 58 | R-F | - | - | 1 | | |
| 1200 | NW | 2 | 29.75 | | 60 | R-F | - | - | 1 | | |
| 1600 | NW | 3 | 29.70 | | 62 | R | - | - | 8 | | |
| 2000 | NW | 3 | 29.72 | | 57 | C | - | - | 8 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 8800 |
| EXPENDED | - | - | 200 |
| REMAINING | 995 | 7 | 8600 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0900 Time Lighted 2009

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0600 | 0900 | 3 | 0 | 60 |
| 1030 | 1330 | 3 | 0 | 60 |
| TOTAL FOR DAY | | 6 | 0 | |
| TOTAL FOR MONTH | | 73 | 6 | |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- checked all vis A/N. checked boat.

0

George Boley

0400-0800

0400- checked all vis A/N.

0600- Turned on fog sig.

0730- Held Revelie

F. Huyette

0800-1200

0800- morning colors Turn to field day

0900- Secured H/N fog signals.

1030- Displaid stations H/N fog signals and main light.

1155- REC 151520Z

J K Harlowe

1200-1600.

1200- Dinner.

1330- Secured fog sig and main light.

George Boley

1600-2000.

1600- vis good.

1700- Evening meals

F. Huyette

2000-2400

2000- checked all vis A/N

2009.- Turn on main light. Voltage 119

20~~24~~ Evening colors

2245- REC P160218Z

J K Harlowe

CERTIFIED TO BE CORRECT

J K Harlowe BM1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND L/S

DATE 16 JUNE 1963 LOCATION NEWPORT RI
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 2 | 29.75 | | 52 | C | ~~A~~ | – | 8 | | |
| 0400 | NW | 2 | 29.80 | | 50 | B | – | – | 8 | | |
| 0800 | NW | 2 | 29,80 | | 69 | B | – | – | 8 | | |
| 1200 | S | 3 | 29.78 | | 72 | B | – | – | 8 | | |
| 1600 | SW | 4 | 29.78 | | 65 | B | – | – | 8 | | |
| 2000 | SW | 3 | 29.78 | | 62 | B | – | – | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 8,600 |
| EXPENDED | – | – | 200 |
| REMAINING | 995 | 7 | 8400 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2010

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 73 | 0 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | REGULAR RADIOBEACON MIN. | SPECIAL CALIB. BEACON HR. | SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- checked all vis A/N checked boat.

R U Heath

0400-0800

0400- checked all vis A/N.
0500- Rec. P160834Z.
0600 Secured main light

F. Guyette

0800- 1200

0800- morning colors.

0900 - Nardone BM-1 departed on 48 hr. liberty.

0930 - Heath SA. returned from 48 hr. liberty.

George Daley

1200 - 1600

1200 - Checked boat. vis clear.
1400 - Checked boat vis clear.

F. Guyette

1600- 2000

1600 - Checked boat checked vis clear.
1800 - Checked boat & vis.

R U Heath

2000 - 2400

2000 - Checked boat.
2018 - Displayed main light.
2025 - Held evening colors.
2100 - Recieved P-161522Z
2200 - Checked all vis A/N.

F. Guyette

CERTIFIED TO BE CORRECT

Floyd E. Guyette EN-3
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 17 June 1963 (Insert day of week, day, month, year) LOCATION Newport, R.I.

| TIME | WIND DIR. | WIND FORCE | BAROMETER | TEMP. °F. WET | TEMP. °F. DRY | WEATHER | CLOUDS FORM | CLOUDS AMT. | VIS. | SEA DIR. | SEA HEIGHT IN FT. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0000 | WSW | 3 | 29.78 | | 58 | B | – | – | 8 | | |
| 0400 | W | 2 | 29.83 | | 57 | BC | CI | 3 | 8 | | |
| 0800 | – | – | 29.86 | | 75 | BC | CI | 2 | 8 | | |
| 1200 | S | 1 | 29.85 | | 80 | B | – | – | 9 | | |
| 1600 | S | 2 | 29.85 | | 79 | Bc | cI | 2 | 9 | | |
| 2000 | S | 1 | 29 85 | | 68 | BC | cI | 1 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 8400 |
| EXPENDED | 0 | - | 200 |
| REMAINING | 995 | 7 | 8200 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| ~~AL, AWL, AOL~~ | | |
| ~~AH~~ Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2015

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 72 | 00 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | CALIBRATION SERVICES REGULAR RADIOBEACON MIN. | CALIBRATION SERVICES SPECIAL CALIB. BEACON HR. | CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all vis A/N. Checked boat.
0200 Checked all vis A/N. Checked boat.
F. Guyette

0400 - 0800

0400 Checked all vis A/N. Checked boat.
0600 Secured sta. Main light signal.
0710 Held revellie.
0730 Breakfast.
R A Heath

0800 - 1200

0800 Held morning colors. Turned to.
0830 Boley EN-2 departed station in C.G. 16585 to pick up chow and mail.
Boley EN-2 returned to station.
0900 Boley EN2 departed station enrout to Castle Hill.
1010 Boley returned unit in CG-16585.
1130 Secured for noon chow.
1135 Blinker, light drill
1145 - Secured
George Boley

1200-1600

1200 - checked all vis A/N.
1230 - checked boat.
1300 - Resumed work.
1430 - checked boat
F. Guyette

1600-2000

1600 checked all vis A/N
1630 - checked boat & secured for the day
R A Heath

2000-2400

2000 checked all vis A/N.
2015 Placed main light on
2030 Evening Colors.
2200 checked boat
George Boley

CERTIFIED TO BE CORRECT

Floyd E. Guyette EN-3
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 18 June 1963 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | W | 1 | 29.85 | - | 62 | B | - | - | 8 | | |
| 0400 | W | 2 | 29.90 | - | 60 | B | - | - | 8 | | |
| 0800 | SW | 1 | 29.93 | - | 74 | B | - | - | 8 | | |
| 1200 | SW | 4 | 29.97 | - | 76 | BC | AC | 5 | 8 | | |
| 1600 | SW | 3 | 29.95 | - | 75 | BC | AC | 5 | 8 | | |
| 2000 | SSW | 4 | 29.97 | - | 68 | BC | AC | 5 | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 8200 |
| EXPENDED | - | 3 | 200 |
| REMAINING | 995 | 4 | 8000 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| ~~AL, AWL,~~ AOL | | |
| ~~AH~~ Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2010

**FOG SIGNAL** (Low visibility only) — **RADIOBEACON** (Low visibility and calibration time only)

| FOG SIGNAL TIME START | FOG SIGNAL TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE | RADIOBEACON TIME START | RADIOBEACON TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES: REGULAR RADIOBEACON | | CALIBRATION SERVICES: SPECIAL CALIB. BEACON | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 73 | 0 | | TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START 1015 TIME STOP 1030

**RADIOBEACON TEST**

TIME START TIME STOP

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all vis A/N.
0200 Checked all vis A/N. Checked boat.

Y. Guyette

0400 - 0800

0400 Checked all vis A/N. Checked boat.
0600 Secured main light.
0710 Held morning revillie
0730 Breakfast.

George Boley

0800 - 1200

0800 - Held morning colors, Turned to.
0915 - Boley EN-2 departed station in 16585.
1015 - Nardone BM-1 returned from liberty.
1130 - Secured for noon meal.
1135 - Drill fire
1155 - Secured from drill

R A Heath

1200 - 1600

1200 - Checked boat and vis (clear)
1300 - Turned to on stations work.
1545 - Secured from work.

J H Nardone.

1600 - 2000.

1600. vis good.
1800 Checked boat. checked vis (clear)

Y. Guyette

2000 - 2400

2000 - Checked vis. Checked boat.
2010 Displaid stations main light signal.
2020 - Held evening colors,

R A Heath

CERTIFIED TO BE CORRECT

J H Nardone BM1
(Officer in Charge)

**TREASURY DEPARTMENT**
**U. S. COAST GUARD**
**CG-3188 (12-50)**

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 19 June 1963 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | Sw | 3 | 29.99 | – | 63 | BC | AS | 5 | 8 | | |
| 0400 | Sw | 2 | 30.08 | – | 60 | BC | AS | 5 | 8 | | |
| 0800 | C | 2 | 30.16 | | 72 | Z | AC | 3 | 7 | | |
| 1200 | Sw | 2 | 30.10 | | 77 | BC | AC | 3 | 8 | | |
| 1600 | Sw | 3 | 30.10 | | 72 | B | – | – | 8 | | |
| 2000 | Sw | 3 | 30.07 | | 65 | B | – | – | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 4 | 8000 |
| EXPENDED | – | – | 100 |
| REMAINING | 995 | 4 | 7900 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| ~~AL, AWL, AOL~~ | | |
| ~~AH~~ Liberty | 1 | |
| | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2010

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 730 | | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START ______ TIME STOP ______

## RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - Checked all vis A/N. Checked boat.
0200 - Checked all vis. A/N.

J R Hardone

0400 - 0800

0400 - Checked boat checked all vis A/N.
0600 - Secured Main Light.
0710 - Held revillie.

F. Guyette

0800 - 1200

0800 - Held morning colors. Turned to on Stations work.
1130 - Secured from work.
1135 - Drill
1150 - Secured from drill

R W Heath

1200 - 1600

1200 - Dinner
1300 - Turn to
1301 - Heath departed with CG-16585 to work with telephone men
1430 - Guyette EN3 departed station on CG16585 Forcastle hill 4B Sta.
for discharge
1530 - Secured from work
1545 - CG16585 returned station

J R Hardone

1600 - 2000

1600 - Vis good.
1700 - Evening chow

R W Heath

2000 - 2400

2000 checked vis A/N
2010 Placed main light on
2030 Evening Colors.
2300 - Bar 200222 SWW ↑

J R Hardone

CERTIFIED TO BE CORRECT

J R Hardone B.M.
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND L/S

DATE THURSDAY 20, JUNE 1963 (Insert day of week, day, month, year) LOCATION NEWPORT RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SE | 3 | 30.05 | | 59 | B | – | – | 8 | | |
| 0400 | SE | 2 | 30.08 | | 65 | B | – | – | 8 | | |
| 0800 | SE | 2 | 30.05 | | 67 | B | – | – | 8 | | |
| 1200 | SE | 3 | 29.75 | | 70 | BC | CB | 9 | 8 | | |
| 1600 | SE | 3 | 29.90 | | 70 | BC | CB | 9 | 8 | | |
| 2000 | SE | 3 | 29.80 | | 65 | F | – | – | 0 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 7,900 |
| EXPENDED | – | – | 100 |
| REMAINING | 995 | 4 | 7,800 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 3 | |
| ATTACHED | 3 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2000

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 2000. | 0600. | 4 | 0 | |
| TOTAL FOR DAY | | 4 | 0 | |
| TOTAL FOR MONTH | | 77 | 0 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- checked all aids A/N. checked boat. R A Heath

0400-0800.

0400-checked all aids A/N.
0600- Secured main light.
0700- Held. Reville

J K Hardone.

0800-1200

0800- Morning colors. Turn to
0900-Heath departed on liberty 48 hrs. on CG-16585
0930-Boley. EN3. return from liberty on CG16583
1130-Secured from work
1135- Drill safety
1145. Secured.

George A Boley

1200-1600

1200-Dinner.
1300-Turn to
1530-Secured from work

J K Hardone

1600-2000

1600-aids good.
1700-Evening meals
1900-aids good.

George Boley

2000-2400.

2000-Turn on fog sig and main light. VOLTAGE 118
2024-Evening colors

J K Hardone

CERTIFIED TO BE CORRECT

J K Hardone BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND L/S

DATE FRIDAY 21/9 63 JUNE LOCATION NEWPORT RI
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SE | 3 | 2975 | | 60 | C | - | - | 7 | | |
| 0400 | SE | 2 | 29.10 | | 58 | C | - | - | 7 | | |
| 0800 | W | 2 | 29.60 | | 60 | BC | CB | 9 | 8 | | |
| 1200 | N | 2 | 29.65 | | 69 | BC | AC | 5 | 8 | | |
| 1600 | SE | 2 | 29.68 | | 67 | BC | AC | 5 | 8 | | |
| 2000 | W | 2 | 29.80 | | 63 | B | - | - | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 7,800 |
| EXPENDED | - | - | 200 |
| REMAINING | 995 | 4 | 7600 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 3 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0800 Time Lighted 2010

## FOG SIGNAL (Low visibility only)

## RADIOBEACON (Low visibility and calibration time only)

| FOG SIGNAL TIME START | FOG SIGNAL TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRES-SURE | RADIOBEACON TIME START | RADIOBEACON TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | CALIBRATION SERVICES REGULAR RADIOBEACON MIN. | CALIBRATION SERVICES SPECIAL CALIB. BEACON HR. | CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0400 | 0800 | 4 | 0 | | | | | | | | | | |
| TOTAL FOR DAY | | 4 | 00 | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 81 | 00 | | TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START ________ TIME STOP ________

## RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

Digital Surrogate of NARA Original Record - NND 988096

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- vis good. checked all vis A/N.

George A Boley

0400-0800

0400 - checked all vis A/N. Turn on fog sig

0700 - Held drill

J R Hardone

0800-1200.

0800- morning colors Turn to secured fog sig.

0830- Gliniewicz Stephen. FAEN ARRIVED THIS UNIT.

1130- Secured from work.

1135- Drill blinker light.

1145- Secured from drill

Stephen Gliniewicz

1200-1600

1200- Dinner.

1300- Turn to

1530- Secured from work

J R Hardone

1600-2000

1600- vis good.

1200- Evening meals.

George Boley

2000-2400

2000- checked all vis A/N.

2010- Turn on main light voltage 116

2025- Evening colors

Stephen Gliniewicz

CERTIFIED TO BE CORRECT

J K Hardone BM1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

GPO 962499

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LS.

DATE SATURDAY 22, JUNE 1963 (Insert day of week, day, month, year) LOCATION NEWPORT R.I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 29.87 | | 51 | BC | AS | 5 | 8 | | |
| 0400 | SW | 2 | 29.95 | | 52 | B | Cl | 3 | 8 | | |
| 0800 | W | 2 | 29.98 | | 62 | BC | Cl | 3 | 8 | | |
| 1200 | SW | 3 | 29.94 | | 69 | BC | Cl | 3 | 8 | | |
| 1600 | SW | 4 | 29.94 | | 65 | BC | Cl | 5 | 8 | | |
| 2000 | SW | 3 | 30.00 | | 61 | BC | Cl | 4 | 8 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 7,800 |
| EXPENDED | - | - | 200 |
| REMAINING | 995 | 7 | 7,600 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0650 Time Lighted 2010

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 91 | 00 | |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | 6 | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- checked all r's A/N. checked boat.

J R Nardone

0400-0800

0400- checked. all r's A/N.

0600- Secured main light.

0730- Held Revelle

George Boley

0800-1200

0800- morning colors.

0805- Turn to field day

0900- Nardone departed on 40 hrs liberty

0930- Heath returned from liberty -

1115- Secured for noon chow -

R A Heath

1200-1600

1200 checked all r's A/N

1300- turned too

1500- Checked boat.

George Boley

1600-2000.

1600 checked all r's A/N

1700- lighted red smoke flare between navy mooring
and Ida Lewis Yacht club. coming from small
sail boat -

1703 Notified Castle Hill of distress vessle.

1730 CG 40522 had vessle in tow -

1900 checked boat.

R A Heath

2000-2400

2000 checked all r's A/N

2010 Placed main ligth on

2025 Evening colors.

2115 checked boat

George Boley

CERTIFIED TO BE CORRECT

George A Boley
(Officer in Charge)

**TREASURY DEPARTMENT**
**U. S. COAST GUARD**
**CG-3188 (12-50)**

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/S

DATE Sunday 23 June 1963 (Insert day of week, day, month, year) LOCATION Newport R.I.

| TIME | WIND |  | BAROMETER | TEMP. °F. |  | WEATHER | CLOUDS |  | VIS. | SEA |  |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | DIR. | FORCE |  | WET | DRY |  | FORM | AMT. |  | DIR. | HEIGHT IN FT. |
| 0000 | S | 2 | 30,05 |  | 59 | BC | ci | 5 | 8 |  |  |
| 0400 | SW | 2 | 30.07 |  | 63 | BC | Ci | 6 | 8 |  |  |
| 0800 | W | 1 | 30.10 |  | 79 | B | — | — | 8 |  |  |
| 1200 | N | 1 | 30.10 |  | 80 | B | — | — | 8 |  |  |
| 1600 | NW | 1 | 30.12 |  | 76 | B | — | — | 8 |  |  |
| 2000 | W | 1 | 30.20 |  | 74 | BC | Ci | 7 | 8 |  |  |

**SUPPLIES** (Vessel Report Daily)

|  | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 995 | 7 | 7600 |
| EXPENDED | 10 | — | 100 |
| REMAINING | 985 | 7 | 7500 |

**COMPLEMENT**

|  | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 |  |
| ATTACHED | 4 |  |
| AL, AWL, AOL |  |  |
| AH |  |  |
| Lv. | 1 |  |
| PRESENT | 3 |  |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2011

| FOG SIGNAL (Low visibility only) |  |  |  |  | RADIOBEACON (Low visibility and calibration time only) |  |  |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TIME START | TIME STOP | SIGNAL OPERATED |  | AIR PRES-SURE | TIME START | TIME STOP | LOW VISIBILITY AND FOG |  | ANT. CUR. | CALIBRATION SERVICES |  |  |  |
|  |  |  |  |  |  |  |  |  |  | REGULAR RADIOBEACON |  | SPECIAL CALIB. BEACON |  |
|  |  | HR. | MIN. |  |  |  | HR. | MIN. |  | HR. | MIN. | HR. | MIN. |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| TOTAL FOR DAY |  |  |  |  | TOTAL FOR DAY |  |  |  |  |  |  |  |  |
| TOTAL FOR MONTH |  | 85 | 00 |  | TOTAL FOR MONTH |  |  |  |  |  |  |  |  |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 checked all r's A/N
0221 Rec P 230454Z

George A Boley

0400-0800

0400 checked all r's A/N
0600 secured main light
0630 Reveille
0730 turned to

George A Boley

0800-1200

0800 Morning Colors.
0955 Rec P 231330Z.
1130 secured for noon chow.

R A Heath

1200-1600

1200 checked all r's A/N
1300 Resumed work.
1400 checked boat.

George A Boley

1600-2000

1600 checked all A to N
1730 checked boat
1830 chow

George A Boley

2000-2400

2000 checked all r's A/N.
2011 Placed main light on
2026 Evening Colors
2100 checked boat

Stephen Glinewicz

CERTIFIED TO BE CORRECT

George A Boley
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island LS

DATE June 24 Monday 1963 (Insert day of week, day, month, year) LOCATION Newport RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | W | 1 | 30.23 | | 70 | BC | Cl | 4 | 7 | | |
| 0400 | W | 1 | 30.26 | | 72 | BC | Cl | 2 | 7 | | |
| 0800 | calm | | 30.31 | | 75 | B | — | — | 7 | | |
| 1200 | NW | 1 | 30.31 | | 77 | B | — | — | 8 | | |
| 1600 | SW | 3 | 30.28 | | 76 | B | — | — | 7 | | |
| 2000 | SW | 2 | 30.21 | | 70 | B | — | — | 7 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 985 | 7 | 7500 |
| EXPENDED | — | — | 100 |
| REMAINING | 985 | 7 | 7400 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH Leave | 1 | |
| ~~[illegible]~~ | ~~1~~ | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2000

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 81 | 00 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all A/N
0300 all Secure

George A Boley

0400 0800

0400 Checked A/N
0600 Secured main light
0630 Revelle
0730 turned to

George Boley

0800 - 1200

0800 Colors Turn to
0900 completed cleaning station
1000 Murdock departed on 6 days leave.
1030 FNEN departed 48 hours liberty
1130 Secured from work
1135 Drill damage control
1150 Secured

George A Boley

1200-1600

1300 chow
1600 secure work

George Boley

1600- 2000

1630 chow down
1730 checked boat
all secure about station

George A Boley

2000-2400

2010 main light on
2030 evening colors

RA Heath

CERTIFIED TO BE CORRECT

George A Boley
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/S

DATE June 25 Tuesday 1963 LOCATION Newport R I
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 1 | 30.20 | | 67 | B | — | — | 8 | | |
| 0400 | C | — | 30.13 | | 62 | B | — | — | 8 | | |
| 0800 | C | — | 30.14 | | 82 | B | — | — | 8 | | |
| 1200 | N | 1 | 30.07 | | 88 | B | — | — | 8 | | |
| 1600 | N | 1 | 30.04 | | 86 | B | — | — | 8 | | |
| 2000 | N | 1 | 30.00 | | 80 | bc | ci | 5 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 985 | 7 | 7400 |
| EXPENDED | 10 | — | 200 |
| REMAINING | 975 | 7 | 7200 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 5 | Relief |
| AL, AWL, AOL | | |
| AH Leave | 1 | |
| Liberty | 1 | |
| PRESENT | 3. | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2010

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 81 | 0 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START ______ TIME STOP ______

## RADIOBEACON TEST

TIME START ______ TIME STOP ______

0

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 checked all r is A/r
0200 checked boat.

R W Heath

0400-0800

0400 checked all r is A/r
0530 notified Castle Hill about Boleys injured back.
0600 secured main light
0635 CG-40522 arrived to transport Boley to Naval Hosp.
0715 started generator on test.
0730 secured generator.

RA Heath

0800-1200

0800 Morning Color.
0815 turned to.
0830 Heath departed in CG 16585 to pick up Boley at naval Hospital.
0915 CG-16585 returned unit.
0950 checked boat & r is A/r
1115 secured for noon chow.

RA Heath

1200-1600

1200 checked all r is A/r
12[illegible] Heath departed in CG 16585 to transport
1255 Boley En 2 to naval Hosp.
1300 Rec R 2516002
1415 CG 16585 returned unit.
1430 CG 16585 departed to pick up Boley
1445 CG 16585 return unit.

George Boley

1600-2000

1630 all secure
1800 evening meal.

R W Heath

2000-2400

2000 checked all r is A/r
2010 main light on
2030 Evening Color
2100 checked boat.

R W Heath

CERTIFIED TO BE CORRECT

George Boley
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE June 26 Wed. 1963 LOCATION Newport R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 1 | 30.00 | | 93 | BC | ci | 5 | 8 | | |
| 0400 | W | 1 | 30.00 | | 85 | B | – | – | 8 | | |
| 0800 | SSW | 1 | 3000 | | 87 | B | – | – | 8 | | |
| 1200 | SSW | 2 | 30.00 | | 80 | B | – | – | 8 | | |
| 1600 | SW | 2 | 29.94 | | 78 | B | – | – | 6 | | |
| 2000 | SW | 1 | 29.94 | | 80 | B | – | – | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 975 | 7 | 7200 |
| EXPENDED | 10 | | 150 |
| REMAINING | 965 | | 7050 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 5 | ulhy |
| AL, AWL, AOL | | |
| AH Lore | 1 | |
| Lbe | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2010

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 81 | 0 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START 1000 TIME STOP 1030

**RADIOBEACON TEST**

TIME START TIME STOP

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked all n's A/n
0200 checked boat

RA Heath

0400 - 0800

0400 checked all n's A/n
0530 checked boat.
0600 Secured main light
0700 Reveille.

RA Heath

0800 - 1200

0800 morning colors.
0810 turned to.
1000 Boley departed in CG16585 on 48 hr liberty
1030 FNEN returned from 48 hr liberty
1155 Secured for noon chow.

RA Heath

1200 - 1600

1200 checked all n's A/n
1230 checked boat
1300 turned to.

RA Heath

1600 - 2000

1600 checked all n's A/n
1615 Secured for day.
1856 checked boat

S Gliniewicz

2000 - 2400

2000 checked A/n
2025 evening Colors
2025 main light on
2025 checked boat

S Gliniewicz

CERTIFIED TO BE CORRECT

George A Boley
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

GPO 962499

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose island light station

DATE June 27 Thu - 63 LOCATION new port R I
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NNe | 1 | 29.94 | | 70 | BC | Cl | 5 | 8 | | |
| 0400 | NNe | 1 | 29.94 | | 80 | B | - | - | 8 | | |
| 0800 | NNe | 1 | 29.94 | | 85 | B | - | - | 8 | | |
| 1200 | SW | 3 | 29.94 | | 88 | BC | Cl | - | 8 | | |
| 1600 | SW | 3 | 29.89 | | 84 | BC | Cl | - | 8 | | |
| 2000 | SW | 2 | 29.80 | | 76 | BC | Cl | - | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 965 | 7 | 7050 |
| EXPENDED | No | | 150 |
| REMAINING | 965 | | 6900 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 5 | [illegible] |
| AL, AWL, AOL | | |
| AH Leave | 1 | |
| Lib | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2010

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 810 | | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ________ TIME STOP ________

**RADIOBEACON TEST**

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 – 0400

0000 Checked A/n
0130 checked boat

0400-0800 S glimiewicz

0400 Checked A/n
0600 Checked boat
0600 secured main light
0630 Revelie

S glimiewicz

0800 - 1200

0800 colors
0815 turned to
0830 checked A/n
1130 Secured for noon chow S glimiewicz

1200 – 1600

1200 Checked A/n
Checked boat S glimiewicz
1300 turned to

1600 – 2000

1600 checked A/n
1620 Secured for the day R A Heath

2000–2400

2000 checked A/n
2010 main light on
2025 Evening coloz.
2130 checked boat

S glimiewicz

CERTIFIED TO BE CORRECT

George A Boley
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

GPO 962499

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light

DATE 28 June 63 fri LOCATION newport RI
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 1 | 29.86 | | 72 | Bc | Cl | | 8 | | |
| 0400 | Ne | 1 | 29.86 | | 74 | — | — | | 6 | | |
| 0800 | NE | 1 | 29.86 | | 91 | — | — | — | 7 | | |
| 1200 | NE | 1 | 29.82 | | 86 | — | — | — | 7 | | |
| 1600 | NE | 2 | 29.80 | | 82 | H | — | | 8 | | |
| 2000 | NE | 2 | 29.80 | | 80 | H | — | | 6 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 965 | 7 | 6900<br>~~7050~~ |
| EXPENDED | — | — | 200 |
| REMAINING | 965 | 7 | 6700 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 5 | Relief |
| AL, AWL, AOL | | |
| AH leave | 1 | |
| liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2015

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 81 | 0 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked A/n
0030 checked boat

S. Glowiewicz

0400 - 0800

0400 checked A/n
0600 main light out
0630 Revelie
0800 - morning colors

S. Glowiewicz

0800 - 01200

0800 morning colors
0815 turned to
0930 Boley returned from 48 hrs. liberty
0900 Heath, R. depart on 48 hrs. liberty
1130 - Drill plan for light
1145 Secured.

George A Boley

1200 - 1600

1300 chow
1345 turned to
1500 checked boat

George A Boley

1600 - 2000

1600 secured from work
1800 chow
1900 checked boat

George Boley

2000 - 2400

2015 light on
2020 colors
2100 checked boat
2300 all secure

G. A. Boley

CERTIFIED TO BE CORRECT

George A Boley
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light

DATE 6-20-63 (Insert day of week, day, month, year) LOCATION Newport RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | E | 2 | 30.01 | | 78 | 2 | Cl | | 7 | | |
| 0400 | E | 1 | 30.06 | | 78 | 2 | — | — | 7 | | |
| 0800 | E | 1 | 30.01 | | 79 | 2 | — | — | 7 | | |
| 1200 | S | 2 | 30.01 | | 78 | 2 | — | | 7 | | |
| 1600 | S | 2 | 30.01 | | 77 | 2 | — | | 5 | | |
| 2000 | S | 1 | 30.04 | | 72 | 2 | — | — | 6 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 965 | 7 | 6700 |
| EXPENDED | 10 | — | 150 |
| REMAINING | 955 | 7 | 6550 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH Leave | 1 | |
| Liberty | 1 | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2011

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 81 | 0 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 – 0400

0000 checked A/N
0030 checked boat

0400 – 0800 S Gliniewicz

0400 checked A/N
0600 checked boat
0600 light extinguished
0645 Revelle
0745 turned to

S Gliniewicz

0800 – 1200

0800 morning colors
0900 CG 16585 left unit to secure supplies
1000 cg 16585 Retured unit

1145 secured for chow
1156 checked boat S Gliniewicz

1200 – 1600

1200 checked A/n
1230 checked
1245 turned to

S Gliniewicz

1600 – 2000

1600 checked A/n
1800 turned on fog signal
1800 main light on
1837 fog siginal secured

George A Boley

2000-2400

2000 colors
2200 checked boat
2244 fog siginal on

George A Boley

CERTIFIED TO BE CORRECT

George A Boley
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1 GPO 962499

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light

DATE 6-30-63 (Insert day of week, day, month, year) LOCATION Newport RI

| TIME | WIND DIR. | WIND FORCE | BAROMETER | TEMP. °F. WET | TEMP. °F. DRY | WEATHER | CLOUDS FORM | CLOUDS AMT. | VIS. | SEA DIR. | SEA HEIGHT IN FT. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0000 | | 0 | 30.01 | | 69 | B | NS | 10 | 2 | | |
| 0400 | | 0 | 30.01 | | 69 | B | NS | 10 | 2 | | |
| 0800 | | 0 | 30.01 | | 69 | B | NS | 10 | 2 | | |
| 1200 | SW | 1 | 30:00 | | 68 | B | — | — | 7 | | |
| 1600 | S | 1 | 29:97 | | 70 | B | — | — | 7 | | |
| 2000 | S | 1 | 29:97 | | 72 | B | — | — | 7 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 955 | 7 | 6550 |
| EXPENDED | 10 | - | 150 |
| REMAINING | 945 | 7 | 6,400 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH leave | 1 | |
| liberty | 1 | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0600 Time Lighted 2011

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| | 0945 | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 81 | 0 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | CALIBRATION SERVICES REGULAR RADIOBEACON MIN. | CALIBRATION SERVICES SPECIAL CALIB. BEACON HR. | CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START ______ TIME STOP ______

## RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - checked A/N
0030 checked boat

S Gliniewicz

0400 - 0800

0400 checked boat
0430 checked A/n
0600 secured main light

S Gliniewicz

0800 - 1200

0800

0800 colors
0900 Heath back from 48 Libo.
0945 Secured fog signal

George A Boley

1200 - 1600

1200 checked all ri's A/n
1400 checked boat.

RA Heath

1600-2000

1600 checked all ri's A/n
1800 checked boat.

RA Heath

2000-2400

2000 checked all ri's A/n
2010 main light on
2027 Evening Color.
2100 checked boat
2300 all secure about station

George A Boley

CERTIFIED TO BE CORRECT

George A Boley
(Officer in Charge)